

Standard Work Day and Reporting Resolution for Elected and Appointed Officials

RS 2417-A

(Rev. 8/15

BE IT RESOLVED, that the		Plainview-Old Bethpage CSD.	/ 728	57 hereby	establishes t	ne following stand	lard work days	for these titles and
		(Name of Employer)	(Location			is is in the same		
will report the official	Is to the New York	State and Local Retiremen	nt System based o	n their record of	f activities:			·
Title	Standard Work Day (Hrs/day) Min. 6 hrs Max. 8 hrs	Name (First and Last)	Social Security Number (Last 4 digits)	Registration Number	Tier 1 (Check only if member is in Tier 1)	Current Term Begin & End Dates (mm/dd/yy- mm/dd/yy)	Record of Activities Result*	Not Submitted (Check only if official did not submit their Record of Activities)
Elected Officials		医50年14年11年11日						FEED STORY
							HLOSSINIA DE MINISTER	
Appointed Officials		Transfer of Edward Addition						
District Treasurer	7	Michael Kearns		1.000		7/1/2018-6/30/2019	1.20	
					 			
SEE INSTRUCTION	IS FOR COMPLE	TING FORM ON REVERSE	SIDE					
I,						Bethpage CSD.	, of the	State of New York,
						Employer)		
do hereby certify tha	it I have compared	the foregoing with the orig	inal resolution pas	sed by such bo	ard at a lega	lly convened mee	ting held on the	;1st day of
October	, 20 <u>18</u> on file as p	part of the minutes of such	meeting, and that	same is a true	copy thereof	and the whole of	such original.	
IN WITNESS WHEREOF, I have hereunto set my hand and the seal of thePlainview-Old Bethpage CSD.								on this List day
of Myber, 20					(Name of E			_ on this <u></u> day
or <u>11,000</u> , 20	Jan.	(Signature of the secretary of	or clerk)	*N				
Affidavit of Posting	: I,	Jeanne Tyler (Name of secretary or clerk)	, being du	uly sworn, depos	ses and says	that the posting o	f the	
Resolution began on	October 2, 2018 (Date)	and continued for at	least 30 days. Tha	t the Resolution	was availabl	e to the public on	the	
☑ Employer's websi	te at www.pobschoos.	σg						
☐ Official sign board at								(seal)
		ffice at						
					age 1 of	1 (for addition	nal rows attach	a RS2417-B form